

Covers every corner in 2K⁺ resolution

Smart Wi-Fi Pan & Tilt Camera

Watch over your entire space easily with the C6N Camera's 360-degree field-of-view and its smart tracking feature. It's got you covered – all day & all night.



2K⁺ Resolution



Panoramic View



IR Night Vision (Up to 10 m / 33 ft)



Human Motion Detection



Auto-Tracking



Two-Way Talk



Sleep Mode for Privacy Protection



H.265 Video Technology



Supports MicroSD Card (Up to 256 GB) & EZVIZ CloudPlay Storage¹




Protect and care with stunning vision, at all times

Whole-room coverage is a breeze. The C6N 2K⁺ helps you keep eyes-open-wide on your indoor space. And when your cat starts playing hide-and-seek, you can rotate the camera to find where it is. It also renders evenly exposed, clear black-and-white night vision, thanks to its built-in infrared LEDs, so you can enjoy peace of mind while you sleep.

01 Enjoy 360° vision in 2K⁺ clarity





Get the notifications that matter

A lot of activities go on inside your home. Don't want to get alerted repeatedly when your curtains flutter in the wind? TheC6N 2K+ is smart enough to identify human activities in particular. You can choose to get alerted only when somebody is detected on camera.



Smart tracking keeps you well-informed

Upon motion detection, the C6N 2K⁺ automatically locks on the subject and rotates to track the activity. When your dog chases its toy across the room, the camera will capture that movement, so virtually nothing is out of sight.

See and talk, from anywhere

When you're at work or on a trip, it's still easy to get in touch with your family. Just use your phone to talk and respond to your loved ones, as if you were by their side.





A visual diary made of precious moments

The C6N 2K⁺ ensures that you capture unforgettable moments and store the memories safely¹.



Enhanced viewing pleasure with smaller video files

Compared to the prevailing H.264 video compression technology, H.265 creates a more fluid viewing experience with recorded videos. Meanwhile, you won't have to worry about large video files taking up too much of your storage space – H.265 technology reduces data storage by up to 50%².

Video Storage Space

Required Bandwidth

We do our utmost to protect your data and privacy
















TLS

Data Transmission Encryption

AES-128

Data Encryption

EZVIZ has been awarded by DNV for information security (ISO/IEC 27001:2013) personal data protection (ISO/IEC 27701:2019), cloud security (CSA STAR) and more.

- 1 Local storage cards must be purchased separately. Cloud storage service is only available in certain market regions. Please verify availability before making a purchase.
- 2 Data from EZVIZ Lab's test results under standard conditions. The video compression efficiency will vary with the frequency and complexity of the activity captured, as well as other environmental factors.

Specifications cs-C6N-D0-8B4WF

Camera

Image Sensor F2.2@1/3" Progressive Scan CMOS

Shutter Speed Self-adaptive shutter

Lens 4mm, view angle: 124°(Diagonal), 85° (Horizontal),

55°(Vertical)

Lens Mount M12

Day & Night IR-cut filter with auto-switching

DNR 3D DNR

WDR Digital WDR

Compression

Video Compression H.265 / H.264

Video Bit Rate Quad HD, Full HD, HD, Standard. Adaptive bit rate.

Image

Max. Resolution 2560 × 1440

Frame Rate Max. 20 fps; Self-Adaptive during network transmission

Network

Smart Alarm Human Motion detection

Wi-Fi Pairing AP pairing

Protocol EZVIZ Cloud proprietary protocol

Interface Protocol EZVIZ Cloud proprietary protocol

Interface

Storage Micro SD card slot (Max. 256G)

Power Micro USB

Wired Network RJ45 \times 1 (10M/100M self-adaptive Ethernet port)

Wi-Fi

Standard IEEE802.11b, 802.11g, 802.11n

Frequency Range 2.4 GHz ~ 2.4835 GHz

Channel Bandwidth Supports 20MHz

Security 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK

Transmission Rate 11b: 11Mbps, 11g:54Mbps, 11n:72Mbps

Output Power(EIRP) 19 dBm Antenna Gain 1.9 dBi

General

Operating Conditions -10°C to 45°C (14°F to 113 °F), Humidity 95% or less

(non-condensing)

Power Supply DC 5V/2A

Power Consumption Max. 5W

IR Range Max. 10 m (32.81 ft)

Dimensions $88 \times 88.2 \times 119 \text{ mm} (3.46 \times 3.47 \times 4.69 \text{ inch})$

Packaging Dimensions $103 \times 103 \times 186 \text{ mm} (4.06 \times 4.06 \times 7.30 \text{ inch})$

Bare Weight 252g (8.89 oz)

In the box:

- C6N 2K+ Camera
- Base
- Screw Kit
- Power Cable
- Drill Template
- Power Adapter
- Quick Start Guide
- Regulatory Information

Certification:

FCC / UL / CE / WEEE / REACH / RoHS